

Product Description

Range : (Ambient ~ +350)°C



Applications

We offer best quality Dig. Dry Block Temperature Calibrator. Also known as EN-PDBC350 , these are further more highly appreciated for portability and very very light weight. The rugged features of these products makes them highly sought after in the petrochemical , pharmaceutical industries & calibration laboratories etc. Our Calibrators are used for testing thermometers , sensors & thermocouples ranging from (Ambient ~ +350)°C. The total weight of these is 7.0 kg.

Technical Specifications

Model No.	EN-PDBC350
Temperature Range	(Ambient ~ +350)°C
Heating Block Specifications	
Material	Brass
No. Of Heaters	4 Nos.
Block Immersion	120mm. Insertion
Pocket Diameter	30mm. Insertion
No. Of Pockets	Providing 3 Pockets with Different holes from 2.6mm. To 13mm. Dia.

All product specifications are subject to change without prior notice.

Technical Specifications**Controller Specifications**

Type	Microprocessor Logic Controller
Display Range	(0 ~ +350)°C
Accuracy	±0.5°C or Better
Resolution	0.1°C
Stability	±0.2°C or Less
Uniformity	±0.2°C
Units	°C
Stabilization Time	15 Minutes
Displays	LCD

Standard Specifications

Heating Time	(Ambient To +350°C) : 20 Minutes (Approx.)
Switch Test Facility	Provided
Power Supply	230V AC ± 2.5/50Hz.
Dimensions	(150 X 240 X 340)mm.
Weight	7 kgs.

All product specifications are subject to change without prior notice.